


# 55 Window... Single or Double Displays for Indoor Installation Environments




<b>Active Display Area</b>	55" Digital (Full HD) 47.6"W x 26.7"H
<b>Resolution</b>	1920 x 1080
<b>Orientation</b>	Portrait/Back-to-back
<b>Aspect Ratio</b>	16:9
<b>Brightness</b>	3000 nits (Out-facing) + 700 nits (In-facing)
<b>Contrast</b>	1200:1
<b>Viewing Angle</b>	178°
<b>Display Colors</b>	16.7M with WLED Backlight
<b>Connectivity</b>	Wifi/Ethernet/HDMI/USB Direct Play
<b>Internal speaker</b>	2 x 5W 8Ω
<b>Environmental Rating</b>	Indoor
<b>Mounting</b>	Ceiling/Wire/Floor-standing base with lockable castor wheels option
<b>Mechanical Dimensions</b>	50.5"H x 28.1"W x 2.2"D
<b>Weight</b>	66 lbs
<b>Power Supply</b>	120VAC 60HZ & 240VAC 50HZ
<b>Power Consumption</b>	430W (Single)/450W (Double)
<b>Operating Temperature</b>	32°F to 122°F
<b>Certifications</b>	CE, RoHS

# 55 Window ... Ceiling Mounting Technical Dimensions



# 55 Window ... Wire Mounting Technical Dimensions



# 55 Window ... Floor stand Technical Dimensions

