


# 65 Window... Double Display for Indoor Installation Environments



<b>Active Display Area</b>	65" Digital (Full HD) 20.8"W x 56.2"H
<b>Resolution</b>	3840 x 2160
<b>Orientation</b>	Portrait/Back-to-back
<b>Aspect Ratio</b>	16:9
<b>Brightness</b>	3000 nits (Out-facing) + 700 nits (In-facing)
<b>Contrast</b>	3000:1
<b>Viewing Angle</b>	178°
<b>Display Colors</b>	16.7M with WLED Backlight
<b>Connectivity</b>	Wifi/Ethernet/HDMI/USB Direct Play
<b>Internal speaker</b>	2 x 5W 8Ω
<b>Environmental Rating</b>	Indoor
<b>Mounting</b>	Ceiling/Wire option
<b>Mechanical Dimensions</b>	59.1"H x 32.9"W x 2.5"D
<b>Weight</b>	77 lbs
<b>Power Supply</b>	120VAC 60HZ & 240VAC 50HZ
<b>Power Consumption</b>	580W
<b>Operating Temperature</b>	32°F to 122°F
<b>Certifications</b>	CE, RoHS

# 65 Window ... Ceiling Mounting Technical Dimensions



# 65 Window ... Wire Mounting Technical Dimensions

